ProFeeder S

Robust and cost effective robot cell





ProFeeder S

ROBUST DESIGN

The product has a unique design, optimized by our engineers for best performance in production automation

COST EFFECTIVE SOLUTION

Simple and effective machine tending solution with up to 5 trays (up to 100 kg pr. tray) for moderate price

UP TO 100 **KG. PR. TRAY**

> **FLEXIBLE COBOT** MOUNT FOR LEFT OR RIGHT SIDE




Benefits:


- Contains up to 5 trays W800*L600mm
- Controller compartment, attachable on both sides
- Easily movable by forklift
- Flexible cobot mounting and cable management
- **Compact dimensions -**H1006*W1412*L920 mm

MAGNETIC LOCK

CONTROLLER COMPARTMENT

The controller can be placed in external controller compartment (mounted on left or right side of the robot cell).







Product order overview		
PFS-1000-03	ProFeeder S 3x 100kg tray	H: 900 mm, W: 933, L: 1600, Wt: 320 kg, 3x 800x400mm tray area, 100kg pr tray, max part height 150mm
PFS-1000-05	ProFeeder S 5x 100kg tray	H: 900 mm, W: 933, L: 1600, Wt: 360 kg, 5x 800x400mm tray area, 100kg pr tray, max part height 70mm

Danish manufacturer and supplier of robotic cells for all types of automation.



EasyRobotics ApS Mommarkvej 5 DK-6400 Sønderborg Phone: +45 31 25 06 02 info@easyrobotics.dk www.easyrobotics.biz

